

Chanda Shikshan Prasarak Mandal's
JANATA MAHAVIDYALAYA, CHANDRAPUR

7.1.2

Safety and Security

Girls Common Room photo



Coin operated sanitary pad machine



Principal
Janata Mahavidyalaya
Chandrapur



CCTV surveillance photo




Principal
Janata Mahavidyalaya
Chandrapur



SAFETY MEASURES MICROBIOLOGY LABORATORY

- Always wear an apron before entering the Microbiology laboratory.
- Clean your working table top with 70% ethanol or Lysol.
- Always wash your hand with soap in running tap water before and after the completion of work.
- Never spit or smoke while working in the laboratory. Hand to mouth operation is strictly prohibited. Cut yours nails regularly.
- Do not eat or drink or talk while working with Microorganism.
- Always maintain aseptic condition while working with organism.
- Cary culture test tubes in the test tube stand when working in lab.
- Report burns or cuts immediately to the instructor.
- After completion of work keep your slide, pipettes and test tube in their proper places and wash your hands with soap.
- Don't mishandle the chemical solution, stains, spirit lamps, UV light, instrument/ apparatus or electricity.
- Don't open the culture tubes/ plates directly and never inhale them nor observe with naked eyes.
- Report your results at time. Keep your record book up to date.
- For any difficulty ask your teacher/instructor.



Principal
Janata Mahavidyalaya
Chandrapur

